

Page: 1/11 Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

1 Identification

Product identifier

· Trade name: AdvanTech™ Polyurethane Foam Cleaner

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Solvents

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Huber Engineered Woods, LLC 10925 David Taylor Drive Charlotte NC 28262 Tel 800-933-9220 sds@huberwood.com

Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

2 Hazard(s) identification

Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:







GHS02 GHS04 GHS07

· Signal word: Danger

Hazard statements:

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing mist, vapors, or spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

(Cont'd. on page 2)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

(Cont'd. of page 1)

Trade name: AdvanTech™ Polyurethane Foam Cleaner

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Additional information: Repeated exposure may cause skin dryness or cracking.
- Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Compone	ents:		
67-64-1	Acetone	♠ Flam. Liq. 2, H225♠ Eye Irrit. 2A, H319; STOT SE 3, H336	80-100%
124-38-9	Carbon dioxide	Press. Gas, H280 Simple Asphyxiant	3-7%

Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In cases of frostbite, rinse with plenty of water. Do not remove clothing.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Headache

Dizziness

(Cont'd. on page 3)



Page: 3/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 2)

Coughing

Breathing difficulty

Gastric or intestinal disorders when ingested.

Causes eye irritation.

Disorientation

· Danger:

Vapors may cause drowsiness and dizziness.

Repeated exposure may cause skin dryness or cracking.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Extremely flammable aerosol.

Danger of receptacles bursting because of high vapor pressure if heated.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

- · Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Allow to evaporate.

Absorb liquid components with liquid-binding material.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling:

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C,

i.e. electric lights. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

Emergency cooling must be available in case of nearby fire.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Do not expose to temperatures exceeding 50°C/122°F.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: 67-64-1 Acetone		
PEL (USA)	Long-term value: 2400 mg/m³, 1000 ppm	
REL (USA)	Long-term value: 590 mg/m³, 250 ppm	
TLV (USA)	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI	
EL (Canada)	Short-term value: 500 ppm Long-term value: 250 ppm	
EV (Canada)	Short-term value: 750 ppm Long-term value: 500 ppm	
LMPE (Mexico)	Short-term value: 750 ppm Long-term value: 500 ppm A4, IBE	

(Cont'd, on page 5)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 4) PEL (USA) Long-term value: 9000 mg/m³, 5000 ppm Short-term value: 54000 mg/m³, 30000 ppm REL (USA) Long-term value: 9000 mg/m³, 5000 ppm Short-term value: 54000 mg/m³, 30000 ppm TLV (USA) Long-term value: 9000 mg/m³, 5000 ppm Short-term value: 15000 ppm EL (Canada) Long-term value: 5000 ppm Short-term value: 54000 mg/m³, 30000 ppm EV (Canada) Long-term value: 9000 mg/m³, 5000 ppm Short-term value: 30000 ppm LMPE (Mexico) Long-term value: 5000 ppm

· Ingredients with biological limit values:

67-64-1 Acetone

BEI (USA) 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Engineering controls: No relevant information available.

· Breathing equipment:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

Eye protection:



Safety glasses

Body protection:

Protective work clothing

Protection may be required for spills.

Limitation and supervision of exposure into the environment

No relevant information available.

Risk management measures No relevant information available.





Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 5)

9 Physical and chemical properties				
Information on basic physical and chemical properties				
Appearance:				
Form:	Aerosol			
Color: · Odor:	Colorless Solvent-like			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	Not applicable, as aerosol.			
· Flash point:	Not applicable, as aerosol.			
Flammability (solid, gaseous):	Extremely flammable aerosol.			
· Auto-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
· Vapor pressure:	Not determined.			
· Density:				
Relative density:	0.79			
Vapor density:	>1 Not applicable			
Evaporation rate:	Not applicable.			
 Solubility in / Miscibility with Water: 	Fully miscible.			
Partition coefficient (n-octanol/wat	er): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· VOC content:	0% Note: Acctono in a VOC exempt colvent			
· VOC (California):	Note: Acetone is a VOC exempt solvent. 0 g/l			
Other information	No relevant information available.			
Other illioilliation	NO relevant information available.			

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability:
- Thermal decomposition / conditions to be avoided:

(Cont'd. on page 7)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 6)

No decomposition if used and stored according to specifications.

Do not expose to temperatures exceeding 50°C/122°F.

· Possibility of hazardous reactions

Extremely flammable aerosol.

Reacts violently with oxidizing agents.

Danger of receptacles bursting because of high vapor pressure if heated.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Keep ignition sources away Do not smoke.
- · Incompatible materials Oxidizers
- Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC5	0 valu	es that are relevant for classification:
67-64-1	Aceto	ne
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

- · Primary irritant effect:
- On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

- · On the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

Present in trace quantities.

71-43-2	Benzene	1

NTP (National Toxicology Program):

Present in trace quantities.

71-43-2 Benzene K

OSHA-Ca (Occupational Safety & Health Administration):

Present in trace quantities.

71-43-2 Benzene

Probable route(s) of exposure:

Inhalation.

Skin contact.

Eye contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause drowsiness or dizziness.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 7)

(Cont'd, on page 9)

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- Aquatic toxicity No relevant information available.
- · Persistence and degradability Easily biodegradable
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- General notes: Not known to be hazardous to water.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1950	
UN proper shipping name		
DOT	Aerosols	
· ADR/RID/ADN, IMDG	AEROSOLS	
· IATA	Aerosols, flammable	
· Transport hazard class(es)		
·DOT		
Table 1		
· Class	2.1	
Label	2.1	





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 8) ADR/RID/ADN 2 5F Class Label 2.1 IMDG, IATA 2.1 Class Label 2.1 Packing group This UN-number is not assigned a packing group. Environmental hazards Marine pollutant: No Special precautions for user Warning: Gases Danger code (Kemler): · EMS Number: F-D,S-U Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L. - ADR/RID/ADN Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L. · IMDG Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L. ·IATA

Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L.



Page: 10/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 9)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- Chemicals known to cause cancer:

Present in trace quantities.

71-43-2 Benzene

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

Present in trace quantities.

71-43-2 Benzene

· Chemicals known to cause developmental toxicity:

Present in trace quantities.

71-43-2 Benzene

EPA (Environmental Protection Agency):

67-64-1 Acetone

· IARC (International Agency for Research on Cancer):

Present in trace quantities.

71-43-2 Benzene

|1

Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Cont'd. on page 11)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 21, 2019

Trade name: AdvanTech™ Polyurethane Foam Cleaner

(Cont'd. of page 10)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Aerosol 1: Aerosols – Category 1 Press. Gas: Gases under pressure – Compressed gas Press. Gas: Gases under pressure - Liquefied gas Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com