

**CertainTeed Corporation**

Roofing Products Group  
Technical Service Department  
1400 Union Meeting Road  
P. O. Box 1100  
Blue Bell, PA 19422  
1-800-345-1145  
610-341-6212 FAX



**Huber Engineered Wood's  
"Zip System" Roof Sheathing**

**T**echnical **I**nformation **S**heet # 160

October 4, 2011

To Whom It May Concern:

CertainTeed will offer its standard warranty covering its Asphalt Fiberglass Roofing Shingles when applied properly to Huber Engineered Wood's ZIP System Roof Sheathing.

The sheathing must be clean, solid, a minimum 7/16" thick and applied in accordance with Huber's requirements.

CertainTeed shall not have any liability or responsibility under the warranty for a) Defects or damage caused by materials used as a roofing base over which the shingles are applied, b) Damage to the shingles caused by settlement, distortion, deterioration, failure or cracking of the roof deck, or c) Defects or failure caused by application of the shingles not in adherence with the written instructions of CertainTeed. Furthermore, fastening and installation requirements for the roof deck, acceptability of insulation and determination of need for vapor retarders are the responsibility of the deck manufacturer and the deck system designer.

Sincerely,

Technical Services Department  
Roofing Products Group

*Updated from July 31, 2006 TIS 138 (Void after 10/4/11)*