

ACETONE

Compatibility of ZIP System™ Flashing Tape with ZIP System™ Liquid Flash

For speed and ease of installation, 3.75-inch ZIP System[™] tape is manufactured with a linerless backing. This means, like packing tape, the ZIP System[™] tape adhesive is in direct contact with the back side of the tape while it is on the roll.

If it is desired to install ZIP System[™] liquid flash over a portion of installed ZIP System[™] flashing tape, the receiving tape surface must be properly prepared. To prepare the tape for the application of ZIP System[™] liquid flash, wipe the tape with acetone, isopropyl alcohol, or PVC primer/cleaner. Alternatively, the tape surface can be prepared by gently scuffing the tape with a mild abrasive pad or fine steel wool. Ensure that all solvents have dried prior to applying ZIP System[™] liquid flash or other adhering products over the tape.

Note: This surface preparation is **not** required for ZIP System[™] flashing tapes that come with a removable liner, such as ZIP System[™] stretch tape or 6-inch, 9-inch and 12-inch ZIP System[™] flashing tape.

We do not recommend installing ZIP System[™] flashing tape over top of ZIP System[™] liquid flash. When ZIP System[™] flashing tape is terminating into ZIP System[™] liquid flash, stop the flashing tape short of the liquid flash. Use ZIP System[™] liquid flash to bridge between the existing liquid flash and over top the ZIP System[™] flashing tape a minimum of 1".





Please visit <u>zipsystem.com</u> or contact our technical department at 800-933-9220 Ext 2716 or at <u>techquestions@huber.com</u> with any questions or comments.